

# Study of Inductive Reactance of a Micro Strip Line Structure with The Width Metal Strip

**Dhananjay Prasad<sup>1</sup>, Kumari Kalpana<sup>2</sup>, Dr. K. B. Singh<sup>3</sup>, Dr. Amita Sharma<sup>4</sup>**

<sup>1 & 2</sup>Research Scholar, University Department of Physics, B. R. A. Bihar University, Muzaffarpur, Bihar, India.

<sup>3</sup>Department of Physics, L. S. College, Muzaffarpur, B. R. A. Bihar University, Muzaffarpur, Bihar, India

<sup>4</sup>Department of Physics, R. D. S. College, Muzaffarpur, B. R. A. Bihar University, Muzaffarpur, Bihar, India

## ABSTRACT

### Article Info

Volume 9, Issue 4

Page Number : 629-634

### Publication Issue

July-August 2022

### Article History

Accepted : 10 August 2022

Published : 28 August 2022

In the field of high energy physics, it is often necessary to accelerate electron beams to velocities close to that of velocity of light. Due to interaction of electron beam with electromagnetic waves, kinetic energy of electron is increased. Microwaves have become very powerful experimental tools for study of some of the basic properties of materials. There are different structures for the propagation of electromagnetic powers in different modes. Also, there are various devices for sending message or signals from one place to another remote place. In the age of Moughal period pigeons were employed for sending message. Now in the age of modern science & technology, radios, television, telegraphs, satellite, cell phones and mobiles are used for sending the message from one place to other places how far away the Microwave Integrated circuits (MIC'S) have changed these systems in the present days by replacing large scale waveguides and co-axial component arrays to small light weight assemblies. These introduced microwave striplines, microslotlines, coplanar strip lines and coplanar waveguide etc. The design system used for these circuits has also changed from the early "cut & try" methods, using "ruler and knife" to the computer aided design (CAD).

The Present Paper aims at the study Of inductive property developed due to propagation of electromagnetic waves through the structure and its dependence on the width of the metal strip and other factors. Such study involves the characteristics parameters such as characteristics impedance and phase velocity and their variations with width metal strip and its utility in designing different planer devices.

**Keywords:** Microstripline, Capacitance, Stripwidth, Geometry of strip.

## I. INTRODUCTION

Several types of microwave strip lines have been developed and used as common microwave transmission components. With the advent of microwave integrated circuits, the older transmission structures like two parallel wire lines, waveguide and co-axial line have been revolutionized with the introduction of miniaturized microwave planar transmission structure. This is very attractive and useful for MIC's applications involving a larger number of identical units and requiring a high density of packaging. The two parallel wire transmission lines are the simplest structure for microwave signal but these are very much lossy in giga hertz range of frequency. To minimize the losses & to reduce the size & cost new technology known as planar transmission line technology has been developed with the advent of microwave integrated circuits (MIC's). There are various transmission structures which have been developed & designed by different pioneer of this field suitable for giga hertz range of frequency such as stripline, microstripline slot line, coplanar strips and coplanar wave guides & their different variants.

The two parallel wire transmission etc. Structure coaxial lines, wave guide have become obsolete now days due to their bulky size, heavy cost and power losses in gigahertz range of frequency. The planar transmission line (2-dimensional). Technology have been developed due to advent of microwave integrated circuit (MIC's) owing to certain special features and characteristics such as: Miniaturized size, Reduced weight, Low cost, Minimum power consumption, Low dissipation of power, easily replaceable, Easy to fabricate.

## II. CONCEPTS OF MICROSTRIP LINE STRUCTURE

In the giga hertz range of frequency stripline, microstripline and their variants have been proved to

be significant in transmitting the signals. Among these microstripline is simple and open structure. It is easy to fabricate and less lossy.

Microstripline consists of a metal strip fixed on one side of a dielectric substrate whose other side is metalized to serve as ground plane. The substrate material should be of suitable permittivity having low loss tangent and the operating frequency ranges from 2 GHz – 30 GHz. For maximum circuit size reduction, the dielectric substrate material has been selected having relative permittivity of the order of two or higher. But due to smaller loss tangent or low dissipation factor fused quartz like substrate is preferably used. As shown in figure 1. The filled configuration is shown in figure 2.




Figure 1 microstrip line structure




Figure 2 electric and magnetic field configuration.

The present work aims at the study of inductive reactance and its variations with width of the metal strips. This involves the study of the study of characteristics impedance and phase velocity and their variations with metal strips. This required some mathematical formulation based on conformal transformation technique developed by Wheeler, Schwartzman and others.

### III. MATHEMATICAL FORMULATION FOR THE CHARACTERISTIC PARAMETERS OF SINGLE STRIPLINE STRUCTURE

The characteristic impedance of TEM transmission line is given by

$$Z_o = 1/V_p C_p \quad \text{----- 1}$$

Where,  $V_p$  = phase velocity of the wave traveling along the transmission structure.

$C_p$  = capacitance per unit length of the structure.

In case of microstriplines structure shown in fig .1 consists of different components as indicated in the figure.

These components are as follows:

(i)  $C_{PP}$  = Parallel plate capacitance between lower surface of the microstrip and the ground plane and is given by

$$C_{PP} = [\epsilon_{re}/C\eta] \cdot (w/h) \quad \text{---- 2}$$

(ii)  $C_{PPU}$  = Parallel plate capacitance between the upper surface of the microstrip and the ground plane which is expressed as

$$C_{PPU} = (2/3) [\epsilon_{re}/C\eta] \cdot (w/h) \quad \text{----- 3}$$

$C_f$  = the fringing capacitance at the edges of the microstrip and the ground plane which is expressed as

$$(iii) C_f = [\epsilon_{re}/C\eta] \cdot (2.7/\text{Log}4h/t) \quad \text{----- 4}$$

Where,

$W$  = microstrip width

$\epsilon_{re}$  = The effective permittivity of the medium

$h$  = height of the substrate

$\eta$  = free space impedance =  $377 \Omega$

$C$  = the velocity of light in free space =  $3.0 \times 10^8$  m/sec

$t$  = microstrip thickness.

Combining equations 2, 3, 4 the total capacitance ( $C_p$ ) per unit of the structure is expressed as

$$C_p = C_{PP} + C_{PPU} + C_f$$

Or,

$$C_p = (\epsilon_{re} / C\eta) (w/h) + (2/3) (\epsilon_{re} / C\eta) (w/h) (\epsilon_{re} / C\eta) \cdot (2.7/\text{Log}4h/t) \quad \text{----- 5}$$

This is the expression of the capacitance of the microstrip structure in terms of its geometric parameters.

The phase velocity  $V_p$  can be calculated by the formula

$$V_p = C/\sqrt{\epsilon_{re}} \quad \text{----- 6}$$

For wide strip,  $\epsilon_{re} \approx \epsilon_r$ , and

For narrow strip,  $\epsilon_{re} \approx (\epsilon_r + 1) / 2$

Where  $\epsilon_r$  = relative permittivity.

From equations 1, 5, and 6 we get,

$$Z_o = (\eta/\sqrt{\epsilon_{re}}) [1/[(w/h) + (2w/3h) + (2.7/\text{Log}4h/t)]] \quad \text{----- 7}$$

Using his expression, we can also calculate other characteristic parameters of transmission line e.g., propagation constant, phase velocity and guide wavelength.

#### 4. FORMULATION OF INDUCTIVE REACTANCE OF SINGLE STRIPLINE

Since the microwave strip line involves an abrupt dielectric interface between the substrate and the air above it. Any transmission line which is filled with a uniform dielectric can support a single, well-defined mode of propagation over a wide range of frequency. Microstripline supports TEM mode of propagation. Although it is true that bulk of energy is transmitted along the microstripline with field distribution closely resembling TEM-mode. It is usually referred to as a quasi-TEM mode. The field distribution is quite complicated. The electric field (E) and magnetic field (H) have been shown in figure 2. The fields have been analysed by a number of workers using various static technique in the analysis process characteristic impedance and phase velocity are computed which are further employed in calculating the self inductance. The characteristic impedance is related with primary and secondary line constants as

$$Z_0 = \sqrt{\frac{R + j\omega L}{G + j\omega C}} \quad \text{-----8}$$

At microwave frequency and for low loss

$$Z_0 = \sqrt{\frac{L}{C}} \quad \text{-----9}$$

Where,

C = Capacitance of the stripline transmission structure

L = Self inductance for low loss stripline transmission structure.

Alternate expression for characteristic impedance for such structure is given as

$$Z_0 = V_p \cdot L \quad \text{----- 10}$$

From equation 3,

$$L = Z_0 / V_p$$

Knowing the value of characteristic impedance of the microstripline transmission structure and phase velocity of the wave passing through the structure, Self inductance of the structure can be determined. This property of the structure is due to change of magnetic flux linked with the structure which is owing to the presence of magnetic flux and energy flowing through it.

If  $\omega = 2\pi f$ , then inductive reactance  $X = \omega L = 2\pi fL$  where  $f$ =operating frequency.

The inductive reactance is the property of the structure developed due to wave propagation and presence of magnetic flux. this is a lossless parameter but produces hindrance to the flow of electromagnetic power and its due to energy observe by the structure. The study of variation of inductive reactance is the aim of present paper.

**Table No. 1: Study of variation of self-inductance with stripwidth**

$f = 2 \text{ GHz}$ ,  $h = 100 \text{ mils}$ ,  $t = 0.02 \text{ mils}$ ,  $\epsilon_r = 3.78$ (fused quartz),  $c = 3 \times 10^8 \text{ m/sec}$   $1 \text{ mil} = 2.54 \times 10^{-5} \text{ meter}$ .

Stripwidth w (mils)	Characteristic Impedance $Z_0$ ( $\Omega$ )	Phase velocity $V_p \times 10^8 \text{ m/sec}$	Self-Inductance (L) $\times 10^{-7} \text{ H}$	Inductive reactance(ohm) $\times 10^3$
20	137.10	1.86	7.37	9.256
45	105.62	1.84	5.74	7.209
60	94.83	1.82	5.21	6.543
75	86.52	1.81	4.78	6.003
90	80.20	1.80	4.45	5.589


## 5. STUDY OF VARIATION OF INDUCTIVE REACTANCE WITH STRIPWIDTH

By changing the width of the metal strip the inductive reactance of the stripline has been studied. Result obtained shows that for given frequencies and dielectric material inductive reactance decreases with increase of width of the stripline. This shows larger concentration of field lines below the strip and greater amount of power flow. The result is shown in table 1 related graphs in graph no.1. This concludes that for wider strip the rate of variation of inductive reactance with strip width  $w$  is always the same. This idea is very useful for a designer to design microstripline of given inductive reactance for lower dissipation and larger selectivity.

**Graph No. 1: Study of variation of self inductance with stripwidth**

$f = 2 \text{ GHz}$ ,  $h = 100 \text{ mils}$ ,  $t = 0.02 \text{ mils}$ ,  $\epsilon_r = 3.78$  (fused quartz),  $c = 3 \times 10^8 \text{ m/sec}$

$1 \text{ mil} = 2.54 \times 10^{-5} \text{ meter}$ .



## IV. CONCLUSION

The study of variation of Inductive reactance has been performed by varying the width of metal strip with height of the substrate and frequency fixed and which shows a sharp decrease in Inductive reactance with increase of width of metal strip. This indicates the inductive reactance is larger for narrower strip and smaller for wider strip. This concludes that the flow of power is larger for wider metal strip & smaller for narrower strip. This work has the scope of future work also. The results obtained in the present work are in close agreement with the theoretical and experimental results obtained by Delinger, Getsinger and Wheeler.

MIC's have been developed so far to cover wide range of applications; from a very simple function such as switch to complex transmit – receive modules for use in phased array radar system. MIC's have the advantages as follows: Improved system reliability, Reduced volume and weight, Eventual cost reduction in mass production.

MIC's promise a real revolution leading to both expansion of present market for microwave and opening of many new applications including host of non-military uses. Substantial requirement of MIC's is also foreseen in India and abroad.

## V. REFERENCES

- [1]. Bhat & Bharti "CAD of microstrip circuits & antennas", 4th ISRAMT, New Delhi & Agra (India), 1995.
- [2]. S. Liayo "Microwave device and circuits" PHI, N.Delhi, 1995
- [3]. K. C. Gupta "Microwave"; Wiley Publication, (1976).
- [4]. H. Howe "Stripline circuit design of coupled Parallel lines"; Artechs House, 74, page 112-137.
- [5]. H.A. Wheeler "Transmission line properties of parallel strip separated by dielectric sheet". IEEE, Tr. MTT-13, page 172-185 (1965).
- [6]. H.A. Wheeler "Transmission line properties of parallel wide strip by conformal mapping

- approximation". IEEE; MTT vol.12, page 280-289, (1964).
- [7]. B. Cohn "Slotline on dielectric substrate", IEEE Trans MTT-17, 1969, pp 168-178.
- [8]. B. Bhat and S. K. Koul. "Stripline like transmission lines for MIC's"; Wiley Eastern Limited, (1990).
- [9]. M.V. Schneider "Dielectric loss in integrated Microwave circuits. Bell system", Technical Journal, vol.48, page 2325-2332, (1969).
- [10]. A. Shelby, D. R. Smith, S. Schultz, "Experimental verification of a negative index of refraction," Science, 292, pp. 77-79, 2001.
- [11]. R. Marques, F. Mesa, J. Martel, and F. Median, Comparative analysis of edge and broadside coupled split ring resonators for metamaterial design-Theory and experiment, IEEE Trans. Antennas Propag.51, pp 2572-2581.2003,
- [12]. D.R. Smith, J.B. Pendry, and M.C.K. Wiltshire, Metamaterials and negative refractive index, Science, 305, pp.788-792. 2004,
- [13]. S. A. Ramakrishna, "Physics of negative refractive index materials," Rep. Prog. Phys. 68, pp. 449-521, 2005.
- [14]. P.M.T. Ikonen, S.I. Maslovski, C.R. Simovski, and S.A. Tretyakov, on artificial magnetodielectric loading for improving the impedance bandwidth properties of microstrip antennas, IEEE Trans. Antennas Propag. 54, pp.1654-1662. 2006
- [15]. Yoonjae Lee and Yang Hao, "Characterization of microstrip patch antennas on metamaterial Substrates loaded with complementary split-ring Resonators" Wiley Periodicals, Inc. Microwave Opt Technol. Lett. 50, pp.2131-2135, 2008.
- [16]. D.-B.; et, al., "Elimination of scan blindness with compact defected ground structures in microstrip phased array", IET Microwaves, Antennas and Propagation, 3: 269-275, doi:10.1049/iet-map:20080037, 2009.
- [17]. Guha, D.; Biswas, S.; Antar, Y. "Defected Ground Structure for Microstrip Antennas", in Microstrip and Printed Antennas: New Trends, Techniques, and Applications, John Wiley & Sons: UK, doi:10.1002/9780470973370, 2011.
- [18]. David M., Microwave Engineering Addison-Wesley Publishing Company. ISBN 978-81-265-4190-4, 2017.
- [19]. Kai Fong; Luk, Kwai Man," Microstrip Patch Antennas". World Scientific. pp. 8-12. ISBN 978-9813208612, 2017.
- [20]. Pandey, Anil, "Practical Microstrip and Printed Antenna Design", Bostan: Artech House. p. 443. ISBN 9781630816681, 2019.

#### Cite this article as :

Dhananjay Prasad, Kumari Kalpana, Dr. K. B. Singh, Dr. Amita Sharma, "Study of Inductive Reactance of a Micro Strip Line Structure with The Width Metal Strip", International Journal of Scientific Research in Science and Technology (IJSRST), Online ISSN : 2395-602X, Print ISSN : 2395-6011, Volume 9 Issue 4, pp. 629-634, July-August 2022. Available at doi : <https://doi.org/10.32628/IJSRST2294105>  
Journal URL : <https://ijsrst.com/IJSRST2294105>